

IRT CORP SAN DIEGO CALIF
CHEMICAL REACTIONS ON SOLID SURFACES USING MOLECULAR BEAM TECHN--ETC(U)
APR 77 R L PALMER
IRT-8005-008 AD-A040 579 UNCLASSIFIED NL OF | ADA040579 END DATE FILMED 7 - 77








8005-008

CHEMICAL REACTIONS ON SOLID SURFACES USING MOLECULAR BEAM TECHNIQUES

FINAL REPORT

Prepared under
Contract No. N00014-72-C-0247
for the
Office of Naval Research
as
Task No. NR 056-527



April 30, 1977

Reproduction in whole or in part is permitted for any purpose of the United States Government.

Approved for Public Release; Distribution Unlimited

DC FILE COPY

P.O. Box 80817, San Diego, California 92138

UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS BEFORE COMPLETING FORM REPORT DOCUMENTATION PAGE 1. REPORT NUMBER 2. GOVT ACCESSION NO 4. TITLE (and Subtitle) CHEMICAL REACTIONS ON SOLID SURFACES USING MOLECULAR BEAM TECHNIQUES. 8005-008 7. AUTHOR(+) Robert L. Palmer N00014-72-C-0247 PERFORMING ORGANIZATION NAME AND ADDRESS PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS IRT Corporation NR 056-527 P. O. Box 80817 San Diego, CA 92138 12. REPORT DATE 1. CONTROLLING OFFICE NAME AND ADDRESS ONR April 30, 1977 13. NUMBER OF PAGES 800 N. Quincy St. Arlington, VA 22217

MONITORING AGENCY NAME & ADDRESS(IL dillelent from Controlling Office) 10.
15. SECURITY CLASS. (of this report) Unclassified 15a. DECLASSIFICATION DOWNGRADING 16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) 18. SUPPLEMENTARY NOTES 9. KEY WORDS (Continue on reverse side if necessary and identify by block number) Molecular beams Carbon monoxide Ethylene Carbon dioxide Ethane Chemisorption Hydrogen Methane Catalysis Acetylene Oxygen Metal single crystals 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Thermal energy molecular beams have been used to study chemical interactions with metal surfaces. Chemisorption of simple molecules such as H_2 , O_2 , CH_4 , C_2H_3 and CO was investigated on single and polycrystalline surfaces of Pt, Ni, Co, and Ag. Kinetic parameters and reaction mechanisms were determined for model catalytic reactions including CO and C3H; oxidation and methanation from Ho/CO mixtures.


409388

DD FORM 1473

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)	

CONTENTS

	ABST	RACT.														•	•			•	•	•	i
1.	INTRO	DDUCT	CION																			•	1
2.	EXPE																						
	2.1	C ₂ H ₂	OX	IDAT	ION	ON	Ag	g(1	11).													2
	2.2	CO	XID	ATIO	N ON	P	t(1	11).														3
	2.3	C2 F	IYDR	OCAR	BON	ox	IDA	TI	ON	ON	I	t	(11	11)									3
	2.4	H ₂ /0	CO M	ETHA	NAT]	ON	ST	rud	IE	s.													4
3.	SUMM	ARY .													•								5
4.	PUBL	I CAT I	ONS	AND	PRI	ESE	NTA	TI	ON:	s.													5
	4.1	PAPE	ERS	PUBL	ISH	ED																	5
	4.2	TAL	(S P	RESE	NTEI	٥.																	6
	REFEI	RENCE	ES.																				7



ABSTRACT

Thermal energy molecular beams have been used to study chemical interactions with metal surfaces. Chemisorption of simple molecules such as $\rm H_2$, $\rm O_2$, $\rm CH_4$, $\rm C_2H_x$ and CO was investigated on single and polycrystalline surfaces of Pt, Ni, Co, and Ag. Kinetic parameters and reaction mechanisms were determined for model catalytic reactions including CO and $\rm C_2H_x$ oxidation and methanation from $\rm H_2/CO$ mixtures.

INTRODUCTION

This final report summarizes the work performed under ONR Contract No. N00014-72-C-0247 during the period commencing 1 January 1972 and ending 31 March 1977.

Modulated molecular beams have been used to study the adsorption and reaction of chemical species on single crystal metal surfaces. In particular, chemisorption of the simple gases O_2 , H_2 , CO, CH_4 , C_2H_2 , C_2H_4 and C_2H_6 has been investigated on Pt(111) and Ag(111) surfaces. The kinetics of the oxidation of these gases was also studied by the molecular beam technique. Reactions of H_2 with CO for form hydrocarbon products have also been studied on Ni, CO, and Fe as well as Pt. Surface conditions leading to extraordinarily high activity for the formation of the product CH_4 were found for Ni and CO. Activity enhancements of greater than CO0 and CO100 mixtures below CO100. These highly active surfaces are stable in CO100 mixtures below CO101.

2. EXPERIMENTAL RESULTS

Molecular beams are widely recognized as the most appropriate technique for studies of chemical interactions on an atomic level. Much of our understanding of the chemical interactions of atoms, molecules, ions and excited species has been achieved by this experimental method. However, relatively little use has been made of beams to study interactions on surfaces. Recent work has demonstrated, however, that beams are extremely useful for these heterogeneous studies as well.

From a physical point of view, molecular beams offer the advantage of allowing the investigator to characterize the initial conditions of the beam species. The incident momentum (angle of incidence), energy, and chemical composition of the beam are readily controlled. Also, the internal energy of the beam species, including rotational, vibrational and electronically excited states can be selected. While we do not currently utilize internal state selection, by simply specifying the incident angle and temperature of a single reactant species on an "ideal" clean, single crystal surface, many of the ambiguities of typical

reaction cell studies are eliminated. First, with beams we can be certain that the products we observe are the result of a single encounter of the beam species with the surface. Modulation of the beam eliminates the contribution of ambient vacuum species or multiple collisions of the beam with other surfaces when phase sensitive detection is employed. Second, after reacting at the surface, line-of-sight mass spectrometry eliminates any subsequent reactions that might change the compositions of the desorbed products. This is of primary importance in catalysis since very reactive chemical radicals can sometimes be generated by surface reactions. Moreover, these initial chemical products are often the intermediates in a series of reactions that occur when multiple surface and gas-phase collisions are allowed. The importance of these subsequent reactions is quickly appreciated if we consider that in a flowing reaction cell, perhaps 10^{15} surface and gas-phase collisions can occur before the chemical composition of the products is determined.

2.1 C_2H_4 OXIDATION ON Ag(111)

The catalytic oxidation of ethylene (C_2H_4) is an important commercial process, ethylene oxide being the thirteenth largest volume organic chemical produced in the U.S. Since Ag is thought to be the catalyst for this process, we undertook a study of the interaction of C_2H_4 with O_2 on Ag(111). The reactivity on Ag(111) was found to be low and below the level of detectability using the conventional molecular beam (M.B.) geometry. Using a modified isotropic source geometry for increased signal the product CO_2 was detected. No C_2H_4O was detected, however. It was possible with the M.B. configuration to observe the fragmentation of C_2H_4 to C_2H_3 (10%) and C_2H_2 (5%) on Ag(111). The details of this work were presented as Technical Report No. 1 and also published ("Studies of the Catalytic Reaction of C_2H_4 and O_2 on Ag(111) Surfaces" by Joe N. Smith, Jr., R. L. Palmer, and D. A. Vroom, J. Vac. Sci. Technol. $\underline{10}(2)$, 373 (1973).

Some investigations of the oxidation of C_2H_2 and CO on Ag(111) were made, but the reactivity was found to be much greater and more amenable to study by M.B. on Pt(111).

2.2 CO OXIDATION ON Pt(111)

Pt(111) has a high activity for the oxidation of CO due to its ability to dissociatively chemisorb 0_2 without forming an unreactive oxide. The "sticking" coefficient for 0_2 on Pt(111) was measured to be about 10^{-3} by titration with CO. The reaction product CO_2 was observed to desorb in a very peaked distribution about the surface normal ($\sim \cos^6\theta$) indicating an activation barrier to adsorption of \sim 7 kcal/mole. The high mobility of CO on the Pt(111) surface was dramatically demonstrated and indicated primarily a Langmuir-Hinshelwood (L-H) reaction mechanism with the adsorbed CO capable of sampling a large surface area before reacting with a chemisorbed oxygen atom. At temperatures below \sim 250°C the 0_2 /CO balance becomes very critical since CO blocks the chemisorption of 0_2 , whereas the oxygen saturated surface still readily chemisorbs CO. Thus, the Pt(111) surface remains catalytically active only for 0_2 /CO $\geq \frac{S_{CO}}{S_{0_2}}$ (i.e., \sim 10^2) as the temperature is lowered and/or the total pressure is increased. This figure, of course, would vary for other crystal faces and on rough surfaces because the sticking coefficient of oxygen, S_{0_2} , is strongly affected by these parameters.

Further details of this work are given in Technical Report No. 2. The results were also published ["Molecular Beam Study of CO Oxidation on a (111) Platinum Surface," R. L. Palmer and Joe N. Smith, Jr., J. Chem. Phys. 60, 1453 (1974)]

2.3 C₂ HYDROCARBON OXIDATION ON Pt(111)

Further insights into oxidation catalysis on Pt(111) were made in a study of the oxidation of the C_2 hydrocarbons (C_2H_2 , C_2H_4 , C_2H_6). It was found that, aside from the initial sticking probabilities, the oxidation of these three species was identical. This result is consistent with other studies which indicate that the C_2 hydrocarbons chemisorb as an acetylenic species at elevated temperatures. The sticking coefficients for C_2H_2 , C_2H_4 , and C_2H_6 were ~ 1.0 , ~ 0.5 , and $< 10^{-3}$, respectively. While the chemisorption of C_2H_2 and C_2H_4 were rapid, C_2H_6 chemisorption was quite slow and apparently activated, although the magnitude of its activation barrier was not determined.

The surface temperature dependences of the three oxidation products, CO, ${\rm CO}_2$ and ${\rm H}_2{\rm O}$, were measured and found to have a common slope in excess oxygen of 16 kcal/mole. This result indicates a rate limiting step common to all three products. Since the surface mobility of oxygen is the only process common

to all three products it was concluded that the activation barrier to the diffusion of atomic oxygen is 16 kcal/mole on the Pt(111) surface.

The details of these experiments were written up and circulated as Technical Report No. 3. This work was also published in the open literature ["Molecular Beam Study of Oxygen and C_2 Hydrocarbon Chemisorption and Reactions on Pt(111)," Robert L. Palmer, J. Vac. Sci. and Technol. 12(6), 1403 (1976)].

2.4 H₂/CO METHANATION STUDIES

Molecular beams were used to study the important catalytic methanation reaction. After an unsuccessful effort to study the reaction in the 10^{-7} - 10^{-5} torr regime, the apparatus was modified for studies in the 1 torr range. Studies were made on the transition metals in group VIII, but were most extensive on Ni, Co and Fe. Marz grade (99.999%) foil was used in this study at higher pressures, rather than single crystal films. One interesting result of this study was the discovery of greatly enhanced catalytic activity with oxygen treated Ni and Co foils. Enhancements of greater than 10x and 100x, respectively, were seen in the methanation rates on incompletely reduced surfaces. Apparently "doping" of the surface with small amounts of oxygen (1-3%) has a large affect on the catalytic activities of Ni and especially Co. On the other hand, Fe foils showed a decrease in activity after exposure to oxygen. Other workers have also reported increased catalytic activities due to surface oxygen in Rh (Ref. 1), and Pt (Ref. 2). This is an important parameter that has been overlooked in earlier studies on these surfaces, including possibly our own work on Pt(111) which may have been influenced by the presence of small amounts of oxygen.

The mechanism for CH₄ formation on the oxygen activated Ni and Co surfaces was found to involve a surface carbide intermediate, in agreement with the studies by Wise, et al. (Ref. 3) and Ponec (Ref. 4). These results are contrary to the long held belief that the direct dissociation of CO on these surfaces is inconsequential and the important intermediate is either HCO or CHOH. Of course, these intermediates cannot be ruled out for conditions which differ greatly from those which show rapid CO dissociation.

The methanation work has been written up and distributed as Technical Report No. 4. It has also been submitted to Journal of Catalysis and will appear there soon.

3. SUMMARY

The molecular beam technique has been shown to be of use in the study of a wide variety of surface chemical reactions. On smooth, single crystal surfaces the angular dependences of the incident reactions and the desorbed products gives information about the energetics of the interaction with the surface. We have observed the $\rm H_2$, $\rm CO_2$ and $\rm C_2H_6$ chemisorption is activated on Pt(111), as evidenced by the sharply peaked desorption behavior of these gases. With molecular beams we have also obtained reliable kinetic data that helps to further clarify the catalytic processes involved in the model reactions studied.

By controlling the surface conditions, very large increases in catalytic activity have been achieved. Although surface morphology (e.g., roughness) is important, the activities of smooth, clean, single crystal surfaces can be quite high. The catalytic methanation activities of Ni and Co are also greatly enhanced by small amounts of surface oxygen. This parameter may also account for discrepancies in the reported behavior of Pt surfaces, for example.

4. PUBLICATIONS AND PRESENTATIONS

4.1 PAPERS PUBLISHED

- "Studies of the Catalytic Reaction of C₂H₄ and O₂ on Ag(111) Surfaces," Joe N. Smith, Jr., R. L. Palmer, and D. A. Vroom, J. Vac. Sci. and Technol. 10(2), 373 (1973). (Technical Report No. 1)
- "Molecular Beams Study of CO Oxidation on a Platinum Surface,"
 R. L. Palmer and Joe N. Smith, Jr., J. Chem. Phys. 60, 1453 (1974). (Technical Report No. 2)
- "Molecular-Beam Study of Oxygen and C₂ Hydrocarbon Chemisorption and Reactions on Pt(111)," Robert L. Palmer, J. Vac. Sci. and Technol. 12(6), 1403 (1975). (Technical Report No. 3)
- 4. "Mass-Spectrometric Measurements of Enhanced Methanation Activity Over Cobalt and Nickel Foils," R. L. Palmer and D. A. Vroom, to be published in Journal of Catalysis. (Technial Report No. 4)

4.2 TALKS PRESENTED

- 1. "Studies of the Catalytic Reaction of C_2H_4 and O_2 on Ag(111) Surfaces," Joe N. Smith, Jr., R. L. Palmer, and D. A. Vroom, American Vacuum Society Meeting, Chicago, Ill., Oct. 1972.
- 2. "Molecular Beam Studies of Oxidation on (111) Pt Surfaces,"
 R. L. Palmer and Joe N. Smith, Jr., Third North American Meeting of the Catalysis Society, San Francisco, Feb. 1974.
- 3. "Molecular Beam Studies of Catalytic Oxidation on Pt Surfaces,"
 R. L. Palmer and Joe N. Smith, Jr., Third North American Meeting of the Catalysis Society, San Francisco, Feb. 1974.
- 4. "Oxidation of the C₂ Hydrocarbons on Pt(111) Films," R. L. Palmer, California Catalysis Society, Anaheim, November 1974.
- 5. "Studies of H₂/CO Reactions Using a Fast Flow Catalytic Reactor," R. L. Palmer, California Catalysis Society, Berkeley, March 1976.
- 6. "Studies of CO and Hydrogen Reactions on Cobalt and Nickel Surfaces at Low to Intermediate Pressures," R. L. Palmer, Gordon Research Conference on Catalysis, New London, June 1976.
- 7. "Molecular Beam Studies of Model Catalytic Chemical Reactions," R. L. Palmer, American Chemical Society, New Orleans, March 1977.

REFERENCES

- 1. B. A. Sexton and G. A. Somorjai, J. Catal. 46, 167 (1977).
- 2. R. W. McCabe and L. D. Schmidt, Surface Sci. <u>60</u>, 85 (1976).
- 3. P. R. Wentrecek, B. J. Wood, H. Wise, J. Catal. 43, 363 (1976).
- J. J. Stephan and V. Ponec, J. Catal. 44, 439 (1976); W. L. van Dijk, J. A. Groenewegen, V. Ponec, 45, 277 (1976).

JHNICAL REPORT DISTRIBUTION LIE

	JIMICAL HEI ON	DIOTRIBUTION BIL
No	. Copies	No. Copie
Office of Naval Research Arlington, Virginia 22217 Attn: Code 472	2	Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314 12
Office of Naval Research Arlington, Virginia 22217 Attn: Code 102IP	6	U.S. Army Research Office P.O. Box 12211 Research Triangle Park, North Carolina 27709 Attn: CRD-AA-IP
ONR Branch Office 536 S. Clark Street Chicago, Illinois 60605 Attn: Dr. George Sandoz	1	Commander Naval Undersea Research & Development Center San Diego, California 92132
ONR Branch Office 715 Broadway		Attn: Technical Library, Code 133
New York, New York 10003 Attn: Scientific Dept.	1	Naval Weapons Center China Lake, California 93555 Attn: Head, Chemistry Division 1
ONR Branch Office 1030 East Green Street Pasadena, California 9110 6 Attn: Dr. R. J. Marcus	1	Naval Civil Engineering Laboratory Port Hueneme, California 93041 Attn: Mr. W. S. Haynes
ONR Branch Office 760 Market Street, Rm. 447 San Francisco, California 94102 Attn: Dr. P. A. Miller	1	Professor O. Heinz Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940
ONR Branch Office 495 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380
Director, Naval Research Laborato Washington, D.C. 20390 Attn: Library, Code 2029 (ONRL) Technical Info. Div. Code 6100, 6170	6 1	
The Asst. Secretary of the Navy	(R&D)	
Room 4E736, Pentagon Washington, D.C. 20350	1	

Commander, Naval Air Systems Command

Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser) 1

TECHNICAL REPORT DISTRIBUTION LIST

No. C	Copies		No. Copies
Dr. D. A. Vroom		Dr. Theodore E. Madey	
Intelcom Rad Tech.		Department of Commerce	
P.O. Box 80817		National Bureau of Standards	
San Diego, California 92138	1	Surface Chemistry Section	
		Washington, D.C. 20234	1
Dr. P. R. Antoniewicz			
University of Texas		Dr. J. M. White	
Department of Physics		University of Texas	
Austin, Texas 78712	1	Department of Chemistry	
		Austin, Texas 78712	1
Dr. W. D. McCormick			
University of Texas		Dr. R. W. Vaughan	
Department of Physics		California Institute of Techno	logy
Austin, Texas 78712	1	Division of Chemistry & Chemic	al
		Engineering	
Dr. G. A. Somorjai		Pasadena, California 91125	1
University of California			
Department of Chemistry		Dr. Keith H. Johnson	
Berkeley, California 94720	1	Massachusetts Institute of Tec	
		Department of Metallurgy and M	aterials
Dr. L. N. Jarvis		Science	
Surface Chemistry Division		Cambridge, Massachusetts 02139	1
4555 Overlook Avenue, S.W.			
Washington, D.C. 20375	1	Dr. M. S. Wrighton	
		Massachusetts Institute of Tec	hnology
Dr. W. M. Risen, Jr.		Department of Chemistry	
Brown University		Cambridge, Massachusetts 02139	1
Department of Chemistry			
Providence, Rhode Island 02912	1	Dr. J. E. Demuth	
		IBM Corp.	
Dr. Bruce Wagner, Jr.		Thomas J. Watson Research Cent	er
Northwestern University		P.O. Box 218	
Materials Research Center		Yorktown Heights, New York 105	98 1
Evanston, Illinois 60201	1		
		Dr. C. P. Flynn	
Dr. M. H. Chisholm		University of Illinois	
Chemistry Department		Department of Physics	
Princeton University		Urbana, Illinois 61801	1
Princeton, New Jersey 08540	1		
		Dr. W. Kohn	
Dr. J. B. Hudson		Department of Physics	
Rensselaer Polytechnic Institute		University of California (San	Diego)
Materials Division		La Jolla, California 92037	
Troy, New York 12181	1		
		Dr. R. L. Park	
Dr. John T. Yates		Director, Center of Materials	Research
National Bureau of Standards		University of Maryland	
Department of Commerce		College Park, Maryland 20742	1
Surface Chemistry Section			
Washington, D.C. 20234	1		

TECHNICAL REPORT DISTRIBUTION LIST

No. C	opies	<u>N</u>	o. Copie
Dr. W. T. Peria Electrical Engineering Department University of Minnesota Minneapolis, Minnesota 55455	1	Dr. Leonard Wharton Department of Chemistry James Franck Institute 5640 Ellis Avenue Chicago, Illinois 60637	1
Dr. Narkis Tzoar City University of New York Convent Avenue at 138th Street New York, New York 10031	1	Dr. M. G. Lagally Department of Metallurgical and Mining Engineering University of Wisconsin	
Dr. Chia-wei Woo Northwestern University Department of Physics Evanston, Illinois 60201 Dr. D. C. Mattis	1	Madison, Wisconsin 53706 Dr. Robert Gomer Department of Chemistry James Franck Institute 5640 Ellis Avenue	1
Physics Department Yeshiva University Amsterdam Avenue & 185th Street New York, New York 10033	1	Chicago, Illinois 60637 Dr. R. F. Wallis Department of Physics University of California (Irvine Irvine, California 92664)